


## 10 Pocket



**Reliable Air Flow  
Bag, 65%**

### Characteristics

Media: 100% Synthetic Polypropylene Microfiber

Pockets: Ultrasonically Welded Seams & Edges

Pocket Flutes: Ultrasonically Welded Support Spacers

Header: Electro-Galvanized Metal Header and "J" Style Media Retainers

### Air Flow Bag 65% - 10 Pocket

Model Number	Width "A"	Height "B"	Depth "C"	Number of Pockets	Air Flow Capacity (cfm)	Initial Resistance ("w.g.)
AFB1065S-4430	23-3/8"	23-3/8"	30"	10	2500	.19
AFB1065S-4426	23-3/8"	23-3/8"	26"	10	1875	.19
AFB1065S-4422	23-3/8"	23-3/8"	22"	10	1875	.19
AFB1065S-4415	23-3/8"	23-3/8"	15"	10	1250	.19
AFB865S-0430	19-3/8"	23-3/8"	30"	8	2000	.19
AFB865S-0426	19-3/8"	23-3/8"	26"	8	1500	.19
AFB865S-0422	19-3/8"	23-3/8"	22"	8	1500	.19
AFB865S-0415	19-3/8"	23-3/8"	15"	8	1000	.19
AFB565S-2430	11-3/8"	23-3/8"	30"	5	1250	.19
AFB565S-2426	11-3/8"	23-3/8"	26"	5	950	.19
AFB565S-2422	11-3/8"	23-3/8"	22"	5	950	.19
AFB565S-2415	11-3/8"	23-3/8"	15"	5	625	.19

### Notes:

Standard: UL 900, Class 2

Available with the following  
gasketing options:

GU - Gasket Upstream

GD - Gasket Downstream

GS - Gasket Sides

Other Options:

C - Cambridge Header

-1 - UL 900, Class 1

An example of the part number  
with options is: AFB1065S-4430GU

## DAYTON RELIABLE AIR FILTER

2294 N. Moraine Dr.

Dayton, Ohio 45439

1-800-699-0747



Air Flow Bag 65%, MERV 11,  
10 Pocket

Date	Part Number	Revision
Approved	AFB1065S	